

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 10/22/2013 12:21:48
 PAGE NUM 1

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	A100	BUSE1045B01	1 1	9.30 10.50		45	2,372	680 100 00000
	A000	A100	BUSE1045B02	1 1	9.30 10.50	1	1	2,372	680 100 00000
	A000	A203	HNUR1300B01	1 1 1	8.00 10.50		22	884	110 30 00000
	A000	A203	HNUR1361B01	1 1	13.00 15.50		22	884	110 30 00000
	A000	A300	MAST2131B01	1 1	8.00 10.50		7	1,113	110 40 00000
	A000	A300	MAST2131B02	1 1	8.00 10.50	1	1	1,113	110 40 00000
	A000	A300	BOTH2110B01	1	12.00 14.50		5	1,113	110 40 00000
	A000	A300	CSRV1000B01	1 1	13.00 14.30	1	33	1,113	110 40 00000
	A000	A300	CSRV1000B02	1 1	13.00 14.30	1	1	1,113	110 40 00000
	A000	A303	HNUR1411B01	1 1	8.00 11.50		22	786	220 24 00000
	A000	A303	HNUR1320B01	1	12.00 14.50		22	786	220 24 00000
	A000	A303	PHSC1015B01	1	18.00 20.20		24	786	220 24 00000
	A000	A303	PHSC1015B02	1	18.00 20.20		22	786	220 24 00000
	C000	C100	KYBD1010B01	1 1	8.00 9.20		7	970	210 28 00000
	C000	C100	MATR1350B01	1 1	9.00 10.20		3	970	210 28 00000
	C000	C100	KYBD1111B01	1 1	9.00 11.20	1	7	970	210 28 00000
	C000	C100	KYBD1111B02	1 1	9.00 11.20	1	1	970	210 28 00000
	C000	C100	ACCT1100B01	1 1 1	11.30 12.20		1	970	210 28 00000
	C000	C100	ACCT1250B01	1 1	12.00 13.30		4	970	210 28 00000
	C000	C100	ACCT1300B01	1 1 1	13.00 13.50		4	970	210 28 00000
	C000	C100	JOBS2450B03	1 1	13.45 14.45		13	970	210 28 00000
	C000	C100	JOBS2450B01	1 1	14.35 15.35		25	970	210 28 00000
	C000	C100	BUSE1030B01	1 1	15.00 16.20		6	970	210 28 00000
	C000	C100	KYBD1010B02	1	16.00 18.50		8	970	210 28 00000
	C000	C100	JOBS2450B02	1	17.30 19.20		25	970	210 28 00000
	C000	C100	JOBS2450B03	1	17.30 19.20	1	1	970	210 28 00000
	C000	C200	HACR1210B01	1111	7.15 8.55		9	5,062	210 40 00000
4	C000	C200	HACR2540B01	1	7.15 15.25		7	5,062	210 40 00000
4	C000	C200	HACR2550B01	1	7.15 15.25		7	5,062	210 40 00000
4	C000	C200	HACR2560B01	1	8.00 13.20		7	5,062	210 40 00000
	C000	C200	HACR1230B01	1111	11.00 12.50	1	9	5,062	210 40 00000
	C000	C201	HACR1220B01	1111	9.00 10.50		9	480	110 15 00000
	C000	C202	HACR1240B01	1111	13.00 14.50		9	210	220 6 00000
	C000	C300	DVEN0090B01	1 1	8.00 9.50		8	1,925	210 60 00000
	C000	C300	DVEN0091B01	1 1	8.00 9.50	1	4	1,925	210 60 00000
	C000	C300	DVRE0090B01	1 1	8.00 9.50		6	1,925	210 60 00000
	C000	C300	DVRE0091B01	1 1	8.00 9.50	1	12	1,925	210 60 00000
	C000	C300	DVEN0092B01	1 1	10.00 11.50		14	1,925	210 60 00000
	C000	C300	DVMA0092B02	1 1	10.00 11.50		19	1,925	210 60 00000
	C000	C300	DVMA0090B01	1 1	13.00 14.50		11	1,925	210 60 00000
	C000	C300	DVMA0091B01	1 1	13.00 14.50	1	10	1,925	210 60 00000
	C000	C300	DVMA0090B02	1 1	13.00 14.50		14	1,925	210 60 00000
	C000	C300	DVMA0091B03	1 1	13.00 14.50	1	1	1,925	210 60 00000
	C000	C300	DVRE0092B01	1 1	13.00 14.50	1	11	1,925	210 60 00000
	C000	C300	DVMA0091B02	1	15.00 18.50		9	1,925	210 60 00000
	C000	C300	DVMA0092B01	1	15.00 18.50	1	12	1,925	210 60 00000
	C000	C300	DVEN0091B02	1	15.00 18.50		10	1,925	210 60 00000
	C000	C300	DVEN0092B02	1	15.00 18.50	1	5	1,925	210 60 00000
8	C000	C304	DVED2995B01	1111	8.00 12.00		51	506	110 20 00000
8	C000	C304	DVED2996B01	1111	8.00 12.00	1	12	506	110 20 00000
4	C000	C304	DVED2995B02	1111	13.00 20.00		17	506	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:21:48
 PAGE NUM 2

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	C000 C304	DVED2996B02	1111	13.00 20.00	1	32	506	110 20 00000
		C000 C400	DRFT1161B02	11111	8.30 9.15		1	1,833	210 30 00000
		C000 C400	CADD1215B02	11111	8.30 10.15	1	1	1,833	210 30 00000
		C000 C400	DRFT2320B01	11111	8.30 10.15	1	2	1,833	210 30 00000
4		C000 C400	DRFT1230B02	11111	9.00 9.20	1	1	1,833	210 30 00000
		C000 C400	CADD1210B01	11111	9.00 9.50	1	3	1,833	210 30 00000
		C000 C400	DRFT2330B01	11111	9.00 10.20	1	2	1,833	210 30 00000
		C000 C400	CADD1220B01	11111	10.00 11.20	1	5	1,833	210 30 00000
		C000 C400	CADD1240B01	11111	10.30 11.20	1	3	1,833	210 30 00000
		C000 C400	CADD1230B01	11111	11.30 12.20		5	1,833	210 30 00000
		C000 C400	CADD1250B01	11111	12.00 12.50	1	3	1,833	210 30 00000
		C000 C400	DRFT1120B01	11111	12.30 13.50	1	1	1,833	210 30 00000
		C000 C400	SPPR2996B01	11111	13.00 13.50	1	1	1,833	210 30 00000
		C000 C400	DRFT2461B01	11111	13.00 14.50	1	1	1,833	210 30 00000
		C000 C400	SPPR2998B01	11111	14.00 14.40	1	1	1,833	210 30 00000
		C000 C400	DRFT1130B01	11111	14.00 15.20	1	3	1,833	210 30 00000
		C000 C400	DRFT2350B02	11111	14.00 15.30	1	1	1,833	210 30 00000
		C000 C400	DRFT2360B02	11111	14.00 15.30	1	1	1,833	210 30 00000
		C000 C400	DRFT2310B01	11111	15.30 17.20		4	1,833	210 30 00000
		C000 C400	SPCH1015B01	1	18.00 20.50		18	1,833	210 30 00000
		C000 C400	CEED2060B21	1 1	18.00 21.00		3	1,833	210 30 00000
		C000 C400	CEED2060B20	1 1	18.30 21.00	1	7	1,833	210 30 00000
		C000 C500	IMMT1411B01	1 1	8.30 11.20		13	3,363	210 30 00000
		C000 C500	IMMT1321B01	1 1	9.00 11.50		11	3,363	210 30 00000
		C000 C500	IMMT1411B02	1	18.00 19.50		14	3,363	210 30 00000
		C000 C503	IMMT1110B01	1	7.30 8.20		11	450	110 20 00000
		C000 C503	IMMT1410B01	1	7.30 8.20		10	450	110 20 00000
		C000 C503	IMMT1320B01	1 1	7.30 8.50		12	450	110 20 00000
		C000 C503	IMMT1120B01	1	8.30 10.20		13	450	110 20 00000
		C000 C503	IMMT1210B01	1	10.30 12.20		13	450	110 20 00000
		C000 C503	IMMT1220B01	1 1	12.00 13.20		7	450	110 20 00000
		C000 C503	IMMT1111B01	1 1	13.00 16.20		6	450	110 20 00000
		C000 C503	IMMT1221B01	1 1	13.30 16.20		5	450	110 20 00000
		C000 C503	IMMT1410B02	1	17.00 17.50		14	450	110 20 00000
		C000 C503	IMMT1111B02	1	17.00 19.50		14	450	110 20 00000
4		C000 C600	WELD1110B01	1111	8.00 14.50		12	2,552	210 25 00000
4		C000 C600	WELD1110B02	1111	8.00 14.50	1	1	2,552	210 25 00000
4		C000 C600	WELD1130B02	1111	8.00 14.50	1	1	2,552	210 25 00000
4		C000 C600	WELD1210B01	1111	8.00 14.50	1	14	2,552	210 25 00000
4		C000 C600	WELD1210B02	1111	8.00 14.50	1	1	2,552	210 25 00000
4		C000 C600	WELD1410B02	1111	8.00 14.50	1	1	2,552	210 25 00000
4		C000 C600	WELD1412B02	1111	8.00 14.50	1	1	2,552	210 25 00000
4		C000 C601	WELD1120B01	1111	8.00 14.50		5	450	110 20 00000
4		C000 C601	WELD1130B01	1111	8.00 14.50	1	4	450	110 20 00000
4		C000 C601	WELD1410B01	1111	8.00 14.50	1	13	450	110 20 00000
4		C000 C601	WELD1412B01	1111	8.00 14.50	1	7	450	110 20 00000
4	8	C000 C601	WELD1420B01	1111	8.00 14.50	1	2	450	110 20 00000
4	8	C000 C601	WELD1510B01	1111	8.00 14.50	1	2	450	110 20 00000
4	8	C000 C601	WELD1511B01	1111	8.00 14.50	1	2	450	110 20 00000
4	8	C000 C601	WELD1512B01	1111	8.00 14.50	1	2	450	110 20 00000
4	8	C000 C601	WELD2110B01	1111	8.00 14.50	1	2	450	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2013
 RUN DATE 10/22/2013 12:21:48
 PAGE NUM 3

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
4	8	C000 C601	WELD2210B01	1111	8.00 14.50	1	4	450	110 20	00000
		D000 D102	PTEC2030B01	1 1	8.00 9.20		24	727	110 26	00000
		D000 D102	PTEC1010B02	1 1	8.00 9.20		21	727	110 26	00000
		D000 D102	PTEC1010B04	11	9.30 10.59		22	727	110 26	00000
		D000 D102	PTEC1310B01	11	12.00 13.50		23	727	110 26	00000
		D000 D102	PTEC1310B02	11	12.00 13.50		21	727	110 26	00000
		D000 D102	PTEC1010B03	1 1	14.30 15.50		23	727	110 26	00000
		D000 D102	PTEC1010B05	1	18.00 20.50		23	727	110 26	00000
		D000 D102	PTEC2030B02	1	18.00 20.50		18	727	110 26	00000
		D000 D106	PTEC1010B01	11	8.00 9.20		22	615	110 23	00000
		D000 D106	PTEC2630B01	11	12.00 13.20		21	615	110 23	00000
		D000 D106	PTEC1320B01	11	14.30 16.20		23	615	110 23	00000
		D000 D106	PTEC2030B03	11	14.30 16.50		15	615	110 23	00000
		D000 D106	PTEC1320B02	1	17.00 20.50		20	615	110 23	00000
		D000 D106	PTEC2630B02	1	18.00 20.50		20	615	110 23	00000
		D000 D107	MATH1110B01	1 1	8.30 9.50		6	633	110 51	00000
		D000 D107	PTEC2912B01	1 1	14.30 15.50		9	633	110 51	00000
		D000 D107	PTEC2440B01	1 1	14.30 15.50		20	633	110 51	00000
4		D000 D107	PTEC2420B02	1	16.30 21.50		22	633	110 51	00000
		D000 D107	PTEC1000B02	1	18.00 19.50		21	633	110 51	00000
		D000 D107	PTEC2440B02	1	18.00 20.50		17	633	110 51	00000
		D000 D107	PTEC2912B02	1	18.00 20.50		12	633	110 51	00000
4		D000 D117	PTEC2430B01	1	7.00 12.20		10	3,245	210 80	00000
4		D000 D117	PTEC2430B04	1	7.00 12.20		8	3,245	210 80	00000
		D000 D117	PTEC1610B01	1 1	11.00 12.50	1	20	3,245	210 80	00000
		D000 D117	PTEC1000B01	1	13.00 14.50		21	3,245	210 80	00000
		D000 D117	PTEC1610B02	1 1	14.30 16.20		19	3,245	210 80	00000
		D000 D117	PTEC2420B01	1 1	14.30 16.50		22	3,245	210 80	00000
4		D000 D117	PTEC2430B02	1	16.30 21.50		11	3,245	210 80	00000
4		D000 D117	PTEC2430B03	1	16.30 21.50		12	3,245	210 80	00000
		D000 D117	PTEC1310B03	1	17.00 20.50		22	3,245	210 80	00000
		D000 D200	INST2741B01	1 1	7.30 10.20		15	790	210 31	00000
		D000 D200	INST2741B02	1 1	7.30 10.20	1	1	790	210 31	00000
		D000 D200	INST2820B01	1 1	10.00 11.50		18	790	210 31	00000
		D000 D200	INST2820B02	1 1	10.00 11.50	1	1	790	210 31	00000
		D000 D200	INST1130B01	1 1	13.00 14.50		3	790	210 31	00000
		D000 D200	INST1425B01	1 1	13.00 15.50		15	790	210 31	00000
		D000 D200	INST1331B01	1 1	17.30 20.20		18	790	210 31	00000
		D000 D204	PTEC1610B03	1	17.00 20.50		22	479	110 20	00000
		D000 D300	INST1110B01	1 1	7.30 9.20		19	2,007	210 41	00000
		D000 D300	INST1110B02	1 1	7.30 9.20	1	1	2,007	210 41	00000
		D000 D300	INST1120B02	1 1	11.30 13.20		19	2,007	210 41	00000
		D000 D300	INST2650B01	1 1	13.30 16.20		23	2,007	210 41	00000
		D000 D300	INST1430B01	1 1	15.00 16.50		11	2,007	210 41	00000
		D000 D300	INST2993B01	1111	16.00 16.50	1	1	2,007	210 41	00000
		D000 D300	INST1120B01	1	17.00 20.50		22	2,007	210 41	00000
		D000 D300	INST1420B01	1	17.00 20.50		22	2,007	210 41	00000
		D000 D300	INST1410B01	1	17.00 20.50		27	2,007	210 41	00000
4		E000 E100	HCOR1212B01	11111	7.00 15.00		17	915	210 30	00000
		E000 E100	HNUR1211B01	11111	8.00 9.30	1	17	915	210 30	00000
4		E000 E100	HEKG1113B01	1	8.00 14.20	1	8	915	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2013
 RUN DATE 10/22/2013 12:21:48
 PAGE NUM 4

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
4	E000 E100	HPhL1013B01	11	8.00 15.20		8	915		210 30	00000
	E000 E100	BOTH1210B01	1 1	9.00 10.20		15	915		210 30	00000
	E000 E100	HCOR1200B01	1 1	12.00 13.50		11	915		210 30	00000
	H000 H100	PHSC1016B01	1	16.00 17.40		16	1,056		210 30	00000
	H000 H100	PHSC1016B02	1	16.00 17.40		16	1,056		210 30	00000
	H000 H100	CHEM1411B01	1	17.45 19.50		14	1,056		210 30	00000
	H000 H100	CHEM1411B02	1	17.45 19.50		17	1,056		210 30	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	31
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	9
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		40
TOTAL NUMBER OF RECORDS READ		160
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		160
NUMBER OF JOINT-CLASS RECORDS		55
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:21:48

PAGE NUM 1

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			385
WEEKLY STUDENT CONTACT HOURS	5,321	536	5,857
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	973	58	1,031
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34,650	19,250	53,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,749	1,770	23,519
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,642	1,072	11,714
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	72.1	7.7	49.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	30.7	5.6	21.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.9	60.6	49.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			360
WEEKLY STUDENT CONTACT HOURS	5,321	536	5,857
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	973	58	1,031
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	32,400	18,000	50,400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,749	1,770	23,519
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,642	1,072	11,714
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	77.2	8.3	52.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	32.8	6.0	23.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.9	60.6	49.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:21:48

PAGE NUM 2

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			626
WEEKLY STUDENT CONTACT HOURS	4,966	859	5,826
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,290	104	1,394
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	56,340	31,300	87,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44,766	3,720	48,486
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,933	1,719	11,652
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	71.7	10.4	49.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.6	5.5	13.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.2	46.2	24.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			476
WEEKLY STUDENT CONTACT HOURS	4,652	744	5,397
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,252	94	1,346
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,840	23,800	66,640
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	44,142	3,480	47,622
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,305	1,489	10,794
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	99.4	13.4	68.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.7	6.3	16.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.1	42.8	22.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/22/2013 12:21:48
 PAGE NUM 3

L.T.C.-RIVER PARISHES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			150
WEEKLY STUDENT CONTACT HOURS	314	115	429
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	38	10	48
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13,500	7,500	21,000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	624	240	864
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	628	230	858
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	7.0	3.3	5.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	4.7	3.1	4.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	100.6	95.8	99.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY