

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1100	ACCT1300 A	111111	9.00 9.50		16	520	110 22	00000
	ADMN 1100	ACCT1400 A	111111	10.00 10.50		18	520	110 22	00000
	ADMN 1100	CDEV20048 A	1	18.00 21.00		18	520	110 22	00000
	ADMN 1103	KYBD1110 A	111111	9.00 9.50		23	958	210 19	00000
	ADMN 1103	KYBD1210 A	111111	10.00 10.50		13	958	210 19	00000
	ADMN 1103	KYBD1110 B	111111	13.00 13.50		22	958	210 19	00000
	ADMN 1103	KYBD1110 N	11	17.30 19.45		12	958	210 19	00000
	ADMN 1104	ISYS1450 A	1 1 1	8.30 9.55		13	958	210 19	00000
	ADMN 1104	ISYS1650 A	1 1 1	9.00 9.50	1	3	958	210 19	00000
	ADMN 1104	ISYS1330 A	1 1 1	10.00 10.50		22	958	210 19	00000
	ADMN 1104	ISYS2640 A	1 1	10.55 12.10		13	958	210 19	00000
	ADMN 1104	ACCT1510 A	1 1 1	11.00 11.50		15	958	210 19	00000
	ADMN 1104	ACCT1210 A	1 1 1	12.00 12.50		22	958	210 19	00000
	ADMN 1104	ISYS1330 N	1	17.30 20.10		14	958	210 19	00000
	ADMN 1200	TSMA0092 D	1 1 1	8.00 8.50		23	514	110 30	00000
	ADMN 1200	MATH1100 H	1 1	8.00 9.15		23	514	110 30	00000
	ADMN 1200	MATH1100 A	1 1 1	9.00 9.50		23	514	110 30	00000
	ADMN 1200	MATH1100 E	1 1	9.25 10.40		25	514	110 30	00000
	ADMN 1200	MATH1100 B	1 1 1	10.00 10.50		23	514	110 30	00000
	ADMN 1200	MATH1100 F	1 1	10.50 12.05		24	514	110 30	00000
	ADMN 1200	MATH1100 C	1 1 1	12.00 12.50		24	514	110 30	00000
	ADMN 1200	MATH1100 G	1 1	12.15 13.30		24	514	110 30	00000
	ADMN 1200	MATH1100 D	1 1 1	13.00 13.50		22	514	110 30	00000
	ADMN 1202	ANUR4050 A	1 1	8.00 11.50		23	514	110 24	00000
8	ADMN 1202	ANUR4230 A	1 1	11.00 11.50	1	23	514	110 24	00000
	ADMN 1202	ANUR3230 A	1 1	12.30 14.20		23	514	110 24	00000
4	ADMN 1204	ANUR2432 A	111	6.45 15.00		32	514	110 24	00000
	ADMN 1204	ANUR1441 A	1 1	8.00 11.50		32	514	110 24	00000
8	ADMN 1204	ANUR2320 A	1 1	8.00 11.50	1	32	514	110 24	00000
	ADMN 1204	ANUR2430 A	1 1	12.30 14.20		32	514	110 24	00000
8	ADMN 1204	ANUR2620 A	1 1	12.30 14.20	1	32	514	110 24	00000
	ADMN 1204	ANUR2621 A	11	12.30 14.20		32	514	110 24	00000
	ADMN 1205	CISX1200 A	1 1 1	8.00 9.50		27	1,597	240 30	00000
	ADMN 1205	CISX2830 A	1 1	8.30 10.30		22	1,597	240 30	00000
	ADMN 1205	CISX2110 A	1 1 1	10.00 11.50		27	1,597	240 30	00000
	ADMN 1205	CISX1100 A	1 1	10.50 12.50		28	1,597	240 30	00000
	ADMN 1205	CISX2130 A	1 1 1	13.00 14.50		13	1,597	240 30	00000
	ADMN 1205	CISX1110 A	1 1	13.00 15.00		25	1,597	240 30	00000
	ADMN 1205	CPTR1000 N	1	17.00 20.00		33	1,597	240 30	00000
	ADMN 1205	CISX2010 N	1 1	17.00 20.00		15	1,597	240 30	00000
	ADMN 1206	ANUR1010 A	1 1 1	8.00 9.50		45	1,001	110 35	00000
	ADMN 1206	ANUR1030 A	1 1 1	10.00 10.50		45	1,001	110 35	00000
	ADMN 1206	ANUR1020 A	1 1 1	11.00 11.50		45	1,001	110 35	00000
	ADMN 1206	ANUR1050 A	1 1	12.30 14.20		45	1,001	110 35	00000
	ADMN 1206	NLAB1010 A	1	12.30 14.20		45	1,001	110 35	00000
	ADMN 1207	WEBB1161 A	1 1 1	8.30 9.50		13	1,137	240 35	00000
	ADMN 1207	CPTR1000 C	1 1	9.25 10.40		33	1,137	240 35	00000
	ADMN 1207	CISX1210 A	1 1 1	10.00 10.50		23	1,137	240 35	00000
	ADMN 1207	CPTR1000 D	1 1	10.50 12.05		32	1,137	240 35	00000
	ADMN 1207	CISX2911 A	1 1 1	11.00 11.50		30	1,137	240 35	00000
	ADMN 1207	CPTR1000 A	1 1 1	12.00 12.50		32	1,137	240 35	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1207	ISYS1310 A	1 1	12.15 13.30		29	1,137	240 35	00000
	ADMN 1207	CPTR1000 B	1 1 1	13.00 13.50		30	1,137	240 35	00000
	ADMN 1207	CPTR1000 E	1 1	13.40 14.55		29	1,137	240 35	00000
	ADMN 1207	MEDL1300 N	1	17.30 20.30		29	1,137	240 35	00000
	ADMN 1207	MEDL1360 N	1	17.30 20.30		28	1,137	240 35	00000
	ADMN 1207	MEDL1400 N	1	17.30 20.30		14	1,137	240 35	00000
	ADMN 1208	PSYC2010 A	1 1 1	8.00 8.50		29	1,032	110 45	00000
	ADMN 1208	HIST2020 B	1 1	8.00 9.15		32	1,032	110 45	00000
	ADMN 1208	PSYC2010 B	1 1 1	9.00 9.50		34	1,032	110 45	00000
	ADMN 1208	PSYC2010 D	1 1	9.25 10.40		33	1,032	110 45	00000
	ADMN 1208	HIST2010 A	1 1 1	10.00 10.50		31	1,032	110 45	00000
	ADMN 1208	HIST2010 C	1 1	10.50 12.05		31	1,032	110 45	00000
	ADMN 1208	PSYC2010 C	1 1 1	11.00 11.50		33	1,032	110 45	00000
	ADMN 1208	HIST2020 A	1 1 1	12.00 12.50		31	1,032	110 45	00000
	ADMN 1208	PSYC2010 E	1 1	12.15 13.30		30	1,032	110 45	00000
	ADMN 1208	HIST2010 B	1 1 1	13.00 13.50		31	1,032	110 45	00000
	ADMN 1208	HIST2010 M	1 1	16.00 17.15		30	1,032	110 45	00000
	ADMN 1208	HIST2020 M	1 1	17.30 18.45		29	1,032	110 45	00000
	ADMN 1208	PSYC2010 N	1	17.30 20.10		30	1,032	110 45	00000
	ADMN 1208	HIST2010 N	1	17.30 20.10		29	1,032	110 45	00000
	ADMN 1209	CISX1050 A	1 1 1	8.00 9.50		31	1,337	240 32	00000
	ADMN 1209	CISX1550 A	1 1	9.25 11.25		20	1,337	240 32	00000
	ADMN 1209	CPTR1000 F	1 1 1	11.00 11.50		32	1,337	240 32	00000
	ADMN 1209	CISX1005 A	1 1 1	12.00 13.20		33	1,337	240 32	00000
	ADMN 1209	CPTR1000 G	1 1	12.15 13.30		31	1,337	240 32	00000
	ADMN 1209	MEDL1300 M	1	17.30 20.30		22	1,337	240 32	00000
	ADMN 1209	MEDL1360 M	1	17.30 20.30		22	1,337	240 32	00000
	ADMN 1210	PSYC2010 F	1 1	8.00 9.15		23	480	110 30	00000
	ADMN 1210	MATH1020 A	1 1 1	9.00 9.50		25	480	110 30	00000
	ADMN 1210	MATH1020 C	1 1	9.25 10.40		20	480	110 30	00000
	ADMN 1210	BUSI1210 A	1 1 1	10.00 10.50		27	480	110 30	00000
	ADMN 1210	MATH1020 B	1 1 1	11.00 11.50		24	480	110 30	00000
	ADMN 1210	TSMA0092 O	1 1 1	13.00 13.50		22	480	110 30	00000
	ADMN 1210	MATH1020 N	1	17.30 20.05		19	480	110 30	00000
	ADMN 1212	JOBS2450 C	1 1	9.25 10.15		21	504	110 24	00000
	ADMN 1212	BUSI1030 C	1 1	10.55 12.10		25	504	110 24	00000
	ADMN 1212	BUSI2300 A	1 1 1	11.00 11.50		26	504	110 24	00000
	ADMN 1212	BUSI1040 A	1 1 1	12.00 12.50		24	504	110 24	00000
	ADMN 1212	BUSI1030 A	1 1	12.15 13.30		21	504	110 24	00000
	ADMN 1212	LEIS5002 A	1 1	18.30 21.30		6	504	110 24	00000
	ADMN 1214	ACCT1100 A	111111	8.00 8.50		23	528	110 22	00000
	ADMN 1214	ACCT1150 A	1 1 1	9.00 9.50		24	528	110 22	00000
	ADMN 1214	ACCT1250 A	1 1 1	10.00 10.50		16	528	110 22	00000
	ADMN 1214	ACCT1200 A	111111	11.00 11.50		26	528	110 22	00000
	ADMN 1214	ACCT1100 B	111111	13.00 13.50		23	528	110 22	00000
	ADMN 1214	ACCT1100 N	1	16.00 20.30		26	528	110 22	00000
	ADMN 1215	TSMA0093 A	1 1 1	8.00 8.50		26	651	110 30	00000
	ADMN 1215	TSMA0093 G	1 1	8.00 9.15		20	651	110 30	00000
	ADMN 1215	TSMA0093 B	1 1 1	9.00 9.50		26	651	110 30	00000
	ADMN 1215	TSMA0092 P	1 1	9.25 10.40		25	651	110 30	00000
	ADMN 1215	TSMA0093 C	1 1 1	10.00 10.50		25	651	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1215	TSMA0093 I	1 1	10.50 12.05		17	651	110 30	00000
	ADMN 1215	TSMA0093 E	1 1 1	11.00 11.50		19	651	110 30	00000
	ADMN 1215	TSMA0093 J	1 1	12.15 13.30		20	651	110 30	00000
	ADMN 1215	TSMA0092 N	1 1	13.00 14.15		29	651	110 30	00000
	ADMN 1215	TSMA0093 N	1 1	14.30 15.45		12	651	110 30	00000
	ADMN 1215	MATH1100 N	1 1	17.30 18.45		27	651	110 30	00000
	ADMN 1217	TSMA0092 A	1 1 1	8.00 8.50		24	718	110 30	00000
	ADMN 1217	TSMA0092 H	1 1	8.00 9.15		27	718	110 30	00000
	ADMN 1217	TSMA0092 J	1 1	9.25 10.40		28	718	110 30	00000
	ADMN 1217	TSMA0092 L	1 1 1	12.00 12.50		28	718	110 30	00000
8	ADMN 1217	TSMA0093 F	1 1 1	12.00 12.50	1	21	718	110 30	00000
	ADMN 1217	MATH1100 I	1 1	12.15 13.30		26	718	110 30	00000
	ADMN 1217	TSMA0092 G	1 1 1	13.00 13.50		26	718	110 30	00000
	ADMN 1217	TSMA0092 E	1 1	14.00 15.15		25	718	110 30	00000
	ADMN 1217	TSMA0092 M	1 1	17.30 18.45		26	718	110 30	00000
8	ADMN 1234	ANUR1441 A	1 1	8.00 11.50		32	1,639	210 16	00000
8	ADMN 1234	ANUR2320 A	1 1 1	8.00 11.50	1	32	1,639	210 16	00000
8	ADMN 1234	ANUR4050 A	1 1	8.00 11.50	1	23	1,639	210 16	00000
8	ADMN 1234	ANUR2620 A	1 1	12.30 14.20		32	1,639	210 16	00000
8	ADMN 1238	ANUR1441 A	1 1	8.00 11.50		32	830	210 16	00000
8	ADMN 1238	ANUR2320 A	1 1	8.00 11.50	1	32	830	210 16	00000
8	ADMN 1238	ANUR4050 A	1 1	8.00 11.50	1	23	830	210 16	00000
8	ADMN 1238	ANUR4230 A	1 1	11.00 11.50	1	23	830	210 16	00000
8	ADMN 1238	ANUR2430 A	1 1	12.30 14.20		32	830	210 16	00000
8	ADMN 1238	ANUR2620 A	1 1	12.30 14.20	1	32	830	210 16	00000
8	ADMN 1238	ANUR3230 A	1 1	12.30 14.20	1	23	830	210 16	00000
	AVCR 0805	TSEN0093 A	1 1 1	8.00 8.50		24	742	110 30	00000
	AVCR 0805	TSEN0093 C	1 1	8.00 9.15		25	742	110 30	00000
	AVCR 0805	TSEN0093 B	1 1 1	9.00 9.50		25	742	110 30	00000
	AVCR 0805	TSEN0093 D	1 1	9.25 10.40		23	742	110 30	00000
	AVCR 0805	JOBS2450 D	1 1	10.50 11.40		25	742	110 30	00000
	AVCR 0805	TSEN0091 C	1 1 1	11.00 11.50		26	742	110 30	00000
	AVCR 0805	JOBS2450 E	1 1	12.15 13.05		25	742	110 30	00000
	AVCR 0805	JOBS2450 N	1 1	17.30 19.15		24	742	110 30	00000
	AVCR 0814	TSRE0091 A	1 1 1	8.00 8.50		21	480	210 25	00000
	AVCR 0814	TSRE0091 D	1 1	8.00 9.15		21	480	210 25	00000
	AVCR 0814	TSRE0091 E	1 1	9.25 10.40		21	480	210 25	00000
	AVCR 0814	TSRE0091 B	1 1 1	10.00 10.50		21	480	210 25	00000
	AVCR 0814	TSRE0091 F	1 1	10.50 12.05		21	480	210 25	00000
	AVCR 0814	TSRE0091 C	1 1 1	12.00 12.50		22	480	210 25	00000
	AVCR 0814	TSRE0091 G	1 1	12.15 13.30		20	480	210 25	00000
	AVCR 0814	TSRE0091 H	1 1	13.40 14.55		19	480	210 25	00000
	AVCR 0814	TSRE0091 N	1 1	17.30 18.45		19	480	210 25	00000
	AVCR 0818	ENGL2535 A	1 1 1	8.00 8.50		26	720	110 28	00000
	AVCR 0818	ENGL2535 B	1 1 1	9.00 9.50		23	720	110 28	00000
	AVCR 0818	ENGL1020 A	1 1	9.25 10.40		20	720	110 28	00000
	AVCR 0818	TSEN0091 B	1 1 1	10.00 10.50		27	720	110 28	00000
	AVCR 0818	TSEN0091 E	1 1	10.50 12.05		25	720	110 28	00000
	AVCR 0818	TSEN0093 F	1 1 1	11.00 11.50		13	720	110 28	00000
	AVCR 0818	TSEN0091 F	1 1	12.15 13.30		25	720	110 28	00000
	AVCR 0818	TSEN0093 N	1 1	17.30 18.45		7	720	110 28	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	AVCR 0818	TSEN0091 N	1 1	19.00 20.15		24	720	110 28	00000
	AVCR 0820	ENGL1010 A	1 1 1	8.00 8.50		28	720	110 28	00000
	AVCR 0820	ENGL1010 D	1 1	8.00 9.15		29	720	110 28	00000
	AVCR 0820	TSEN0091 A	1 1 1	9.00 9.50		25	720	110 28	00000
	AVCR 0820	ENGL1010 E	1 1	9.25 10.40		30	720	110 28	00000
	AVCR 0820	ENGL1010 B	1 1 1	10.00 10.50		30	720	110 28	00000
	AVCR 0820	ENGL1010 F	1 1	10.50 12.05		28	720	110 28	00000
	AVCR 0820	ENGL1010 H	1 1 1	11.00 11.50		29	720	110 28	00000
	AVCR 0820	TSEN0091 D	1 1 1	12.00 12.50		25	720	110 28	00000
	AVCR 0820	TSEN0093 E	1 1	12.15 13.30		20	720	110 28	00000
	AVCR 0820	ENGL1010 C	1 1 1	13.00 13.50		28	720	110 28	00000
	AVCR 0820	ENGL1010 G	1 1	13.40 14.55		28	720	110 28	00000
	AVCR 0820	TSEN0091 M	1 1	17.30 18.45		27	720	110 28	00000
	AVCR 0820	ENGL1010 N	1 1	17.30 18.45		23	720	110 28	00000
4	AVIA 0400	AMTA2020 A	11111	8.00 14.30		6	19,594	210 49	00000
4	AVIA 0400	AMTA2050 A	11111	8.00 14.30	1	7	19,594	210 49	00000
4	AVIA 0400	AMTA2090 A	11111	8.00 14.30	1	10	19,594	210 49	00000
4	AVIA 0400	AMTA2100 A	11111	8.00 14.30	1	7	19,594	210 49	00000
4	AVIA 0400	AMTA2110 A	11111	8.00 14.30	1	6	19,594	210 49	00000
4	AVIA 0400	AMTA2120 A	11111	8.00 14.30	1	7	19,594	210 49	00000
4	AVIA 0400	AMTA2130 A	11111	8.00 14.30	1	6	19,594	210 49	00000
4	AVIA 0400	AMTG1010 A	11111	8.00 14.30	1	25	19,594	210 49	00000
4 8	AVIA 0400	AMTG1020 A	11111	8.00 14.30	1	25	19,594	210 49	00000
4 8	AVIA 0400	AMTG1030 A	11111	8.00 14.30	1	26	19,594	210 49	00000
4 8	AVIA 0400	AMTG1090 A	11111	8.00 14.30	1	25	19,594	210 49	00000
4	AVIA 0401	AMTA2090 A	11111	8.00 14.30		10	416	210 8	00000
4 8	AVIA 0401	AMTA2100 A	11111	8.00 14.30	1	7	416	210 8	00000
4 8	AVIA 0401	AMTG1090 A	11111	8.00 14.30	1	25	416	210 8	00000
4 8	AVIA 0404	AMTG1010 A	11111	8.00 14.30		25	647	210 13	00000
4 8	AVIA 0404	AMTG1020 A	11111	8.00 14.30	1	25	647	210 13	00000
4 8	AVIA 0404	AMTG1030 A	11111	8.00 14.30	1	26	647	210 13	00000
4 8	AVIA 0404	AMTG1050 A	11111	8.00 14.30	1	21	647	210 13	00000
4 8	AVIA 0404	AMTG1080 A	11111	8.00 14.30	1	22	647	210 13	00000
4 8	AVIA 0404	AMTG1090 A	11111	8.00 14.30	1	25	647	210 13	00000
4 8	AVIA 0404	AMTG1110 A	11111	8.00 14.30	1	15	647	210 13	00000
4	AVIA 0408	AMTA2110 A	11111	8.00 14.30		6	508	110 15	00000
4 8	AVIA 0408	AMTG1080 A	11111	8.00 14.30	1	22	508	110 15	00000
4	AVIA 0409	AMTA2020 A	11111	8.00 14.30		6	497	110 12	00000
4	AVIA 0409	AMTA2050 A	11111	8.00 14.30	1	7	497	110 12	00000
4 8	AVIA 0409	AMTA2090 A	11111	8.00 14.30	1	10	497	110 12	00000
4 8	AVIA 0409	AMTA2100 A	11111	8.00 14.30	1	7	497	110 12	00000
4 8	AVIA 0409	AMTA2110 A	11111	8.00 14.30	1	6	497	110 12	00000
4 8	AVIA 0409	AMTA2120 A	11111	8.00 14.30	1	7	497	110 12	00000
4 8	AVIA 0409	AMTA2130 A	11111	8.00 14.30	1	6	497	110 12	00000
4 8	AVIA 0409	AMTA2140 A	11111	8.00 14.30	1	5	497	110 12	00000
4 8	AVIA 0412	AMTG1050 A	11111	8.00 14.30		21	471	210 9	00000
4 8	AVIA 0415	AMTG1110 A	11111	8.00 14.30		15	1,271	210 8	00000
4 8	AVIA 0416	AMTG1110 A	11111	8.00 14.30		15	603	210 6	00000
4	AVIA 0419	AMTA2050 A	11111	8.00 14.30		7	556	210 11	00000
4	AVIA 0421	AMTG1030 A	11111	8.00 14.30		26	19,708	210 394	00000
	CPTR 0101	PTEC1320 A	1 1 1	7.45 8.50		25	638	110 25	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	CPTR 0101	PTEC1320 B	1 1	7.45 9.15		17	638	110 25	00000
	CPTR 0101	PTEC2440 A	1 1 1	9.00 9.50		24	638	110 25	00000
	CPTR 0101	PTEC1310 C	1 1	9.25 11.05		28	638	110 25	00000
	CPTR 0101	PTEC1000 B	1 1	10.00 10.50		25	638	110 25	00000
	CPTR 0101	PTEC2430 A	1 11	11.00 11.50		20	638	110 25	00000
	CPTR 0101	PTEC1310 A	1 1 1	12.00 13.05		25	638	110 25	00000
	CPTR 0101	PTEC1310 D	1 1	12.15 13.55		20	638	110 25	00000
	CPTR 0101	PTEC1310 B	1 1	14.20 16.00		27	638	110 25	00000
	CPTR 0101	PTEC1320 N	1 1	17.30 19.05		18	638	110 25	00000
	CPTR 0103	PTEC2070 A	1 1 1	8.00 8.50		20	696	110 25	00000
	CPTR 0103	PTEC2070 B	1 1	8.00 9.15		23	696	110 25	00000
	CPTR 0103	PTEC2630 B	1 1	9.25 10.40		23	696	110 25	00000
	CPTR 0103	PTEC2630 A	1 1 1	10.00 10.50		22	696	110 25	00000
	CPTR 0103	PTEC2430 B	1 11	11.00 11.50		24	696	110 25	00000
	CPTR 0103	PTEC2630 C	1 1 1	12.00 12.50		10	696	110 25	00000
	CPTR 0103	PTEC1610 C	1 1	12.15 13.55		17	696	110 25	00000
	CPTR 0103	PTEC2440 N	1 1	17.30 18.45		11	696	110 25	00000
8	CPTR 0106	PTEC1610 A	1 1 1	7.45 8.50		22	704	210 14	00000
	CPTR 0106	PTEC2420 A	1 1 1	9.00 9.50		21	704	210 14	00000
	CPTR 0106	PTEC2440 B	1 1	9.25 10.40		18	704	210 14	00000
8	CPTR 0106	PTEC1610 B	1 1 1	10.00 11.05		23	704	210 14	00000
	CPTR 0106	PTEC2420 B	1 1 1	11.15 12.05		16	704	210 14	00000
8	CPTR 0106	PTEC2420B B	1	12.00 13.40	1	21	704	210 14	00000
8	CPTR 0106	PTEC2420 C	1 1	12.15 13.30		22	704	210 14	00000
	CPTR 0106	PTEC2420B C	1 1	13.45 14.35		20	704	210 14	00000
	CPTR 0106	PTEC1610 N	1 1	17.30 19.05		16	704	210 14	00000
	CPTR 0108	CADD1101 A	1111	8.00 9.50		21	704	210 14	00000
	CPTR 0108	DRFT1101 A	1111	10.00 10.50		21	704	210 14	00000
	CPTR 0108	DRFT1102 A	1111	12.00 12.50		21	704	210 14	00000
	CPTR 0108	DRFT1103 A	1111	13.00 13.50		19	704	210 14	00000
	CPTR 0108	DRFT1104 A	1111	14.00 14.50		20	704	210 14	00000
	CPTR 0108	CADD1101 B	1111	15.00 16.50		18	704	210 14	00000
	CPTR 0108	DRFT1101 B	1111	17.00 17.50		14	704	210 14	00000
	CPTR 0108	DRFT1102 B	1111	18.00 18.50		15	704	210 14	00000
	CPTR 0108	DRFT1103 B	1111	19.00 19.50		17	704	210 14	00000
	CPTR 0108	DRFT1104 B	1111	20.00 20.50		16	704	210 14	00000
	CPTR 0109	DRFT2404 A	11111	8.00 9.15		5	686	210 14	00000
	CPTR 0109	DRFT2301 A	11111	10.00 10.55		12	686	210 14	00000
	CPTR 0109	DRFT2302 A	11111	11.30 12.25		16	686	210 14	00000
	CPTR 0109	DRFT2303 A	11111	12.30 13.25		18	686	210 14	00000
	CPTR 0109	DRFT2403 A	11111	12.30 13.25	1	3	686	210 14	00000
	CPTR 0109	DRFT2304 A	11111	13.30 14.25		10	686	210 14	00000
	CPTR 0109	DRFT2305 A	11111	14.30 15.25		10	686	210 14	00000
	CPTR 0110	CADD1201 A	1111	8.00 9.50		11	704	210 14	00000
	CPTR 0110	DRFT1201 A	1111	10.00 10.55		10	704	210 14	00000
	CPTR 0110	DRFT1202 A	1111	12.00 12.50		9	704	210 14	00000
	CPTR 0110	DRFT1203 A	1111	13.00 13.50		14	704	210 14	00000
	CPTR 0110	DRFT1204 A	1111	14.00 14.50		20	704	210 14	00000
	CPTR 0111	BIOL1010 A	1 1 1	8.00 8.50		25	1,189	210 24	00000
	CPTR 0111	BIOL1010 D	1 1	8.00 9.15		27	1,189	210 24	00000
	CPTR 0111	BIOL1010 E	1 1	9.25 10.40		26	1,189	210 24	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	CPTR 0111	BIOL1011 D	1	9.25 11.15	1	9	1,189	210 24	00000
	CPTR 0111	BIOL1010 B	1 1 1	10.00 10.50		24	1,189	210 24	00000
	CPTR 0111	BIOL1010 C	1 1 1	12.00 12.50		24	1,189	210 24	00000
	CPTR 0111	BIOL1020 A	1 1	12.15 13.30		22	1,189	210 24	00000
	CPTR 0111	BIOL1011 A	1	13.00 14.50		1	1,189	210 24	00000
	CPTR 0111	BIOL1011 B	1	13.00 14.50		15	1,189	210 24	00000
	CPTR 0114	CHEM1010 B	1 1	8.00 9.15		21	1,160	210 23	00000
	CPTR 0114	CHEM1010 D	1 1 1	9.00 9.50		10	1,160	210 23	00000
	CPTR 0114	CHEM1010 C	1 1	10.50 12.05		19	1,160	210 23	00000
	CPTR 0114	CHEM1010 A	1 1 1	11.00 11.50		22	1,160	210 23	00000
	CPTR 0114	CHEM1011 D	1	12.00 14.30		7	1,160	210 23	00000
	CPTR 0114	CHEM1011 A	1	12.30 15.00		23	1,160	210 23	00000
	CPTR 0114	CHEM1011 B	1	12.30 15.00		10	1,160	210 23	00000
	CPTR 0114	CHEM1011 C	1	12.30 15.00		7	1,160	210 23	00000
	CPTR 0300	PTEC1320 A	1 1 1	7.45 8.50		25	2,507	210 30	00000
	CPTR 0300	PTEC1320 B	1 1	7.45 9.15		17	2,507	210 30	00000
4	CPTR 0300	PTEC2912 A	1 1 1	8.00 16.00		3	2,507	210 30	00000
	CPTR 0300	PTEC2420 A	1 1 1	9.00 9.50	1	21	2,507	210 30	00000
8	CPTR 0300	PTEC2440 A	1 1 1	9.00 9.50	1	24	2,507	210 30	00000
	CPTR 0300	PTEC2440 B	1 1	9.25 10.40		18	2,507	210 30	00000
	CPTR 0300	PTEC2630 B	1 1	9.25 10.40	1	23	2,507	210 30	00000
8	CPTR 0300	PTEC1310 C	1 1	9.25 11.05	1	28	2,507	210 30	00000
8	CPTR 0300	PTEC2420B A	1	9.25 11.05	1	18	2,507	210 30	00000
	CPTR 0300	PTEC2630 A	1 1 1	10.00 10.50		22	2,507	210 30	00000
	CPTR 0300	PTEC2430 A	1 1 1	11.00 11.50		20	2,507	210 30	00000
	CPTR 0300	PTEC2430 B	1 1 1	11.00 11.50	1	24	2,507	210 30	00000
	CPTR 0300	PTEC2420 B	1 1 1	11.15 12.05	1	16	2,507	210 30	00000
8	CPTR 0300	PTEC2630 C	1 1 1	12.00 12.50	1	10	2,507	210 30	00000
8	CPTR 0300	PTEC1310 A	1 1 1	12.00 13.05	1	25	2,507	210 30	00000
8	CPTR 0300	PTEC2420B B	1	12.00 13.40	1	21	2,507	210 30	00000
8	CPTR 0300	PTEC2430B A	1	12.00 13.40	1	19	2,507	210 30	00000
8	CPTR 0300	PTEC2430B B	1	12.00 13.40	1	25	2,507	210 30	00000
	CPTR 0300	PTEC2420 C	1 1	12.15 13.30		22	2,507	210 30	00000
	CPTR 0300	PTEC1310 D	1 1	12.15 13.55	1	20	2,507	210 30	00000
8	CPTR 0300	PTEC2420B C	1 1	13.45 14.35	1	20	2,507	210 30	00000
8	CPTR 0300	PTEC2911 A	1 1 1	14.00 16.30	1	21	2,507	210 30	00000
8	CPTR 0300	PTEC2911 B	1 1 1	14.00 16.30	1	25	2,507	210 30	00000
8	CPTR 0300	PTEC1310 B	1 1	14.20 16.00	1	27	2,507	210 30	00000
	CPTR 0300	PTEC2440 N	1 1	17.30 18.45		11	2,507	210 30	00000
	CPTR 0300	PTEC1320 N	1 1	17.30 19.05		18	2,507	210 30	00000
	CPTR 0302	PTEC1320 A	1 1 1	7.45 8.50		25	2,725	210 35	00000
	CPTR 0302	PTEC1610 A	1 1 1	7.45 8.50	1	22	2,725	210 35	00000
	CPTR 0302	PTEC1320 B	1 1	7.45 9.15		17	2,725	210 35	00000
	CPTR 0302	PTEC1010 A	1 1 1	8.00 8.50		25	2,725	210 35	00000
4	CPTR 0302	PTEC2912 A	1 1 1	8.00 16.00	1	3	2,725	210 35	00000
	CPTR 0302	PTEC1010 B	1 1 1	9.00 9.50	1	25	2,725	210 35	00000
	CPTR 0302	PTEC2420 A	1 1 1	9.00 9.50	1	21	2,725	210 35	00000
8	CPTR 0302	PTEC2440 A	1 1 1	9.00 9.50	1	24	2,725	210 35	00000
	CPTR 0302	PTEC2440 B	1 1	9.25 10.40		18	2,725	210 35	00000
	CPTR 0302	PTEC2620 A	1 1	9.25 10.40	1	15	2,725	210 35	00000
8	CPTR 0302	PTEC1310 C	1 1	9.25 11.05	1	28	2,725	210 35	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	CPTR 0302	PTEC2420B A	1	9.25 11.05	1	18	2,725	210 35	00000
	CPTR 0302	PTEC2030 B	1 1 1	10.00 10.50		25	2,725	210 35	00000
	CPTR 0302	PTEC1610 B	1 1 1	10.00 11.05	1	23	2,725	210 35	00000
	CPTR 0302	PTEC1010 D	1 1	10.50 12.05		25	2,725	210 35	00000
	CPTR 0302	PTEC2430 A	1 11	11.00 11.50	1	20	2,725	210 35	00000
8	CPTR 0302	PTEC2430 B	1 11	11.00 11.50	1	24	2,725	210 35	00000
8	CPTR 0302	PTEC1010 C	1 1 1	11.00 11.50	1	26	2,725	210 35	00000
8	CPTR 0302	PTEC2420 B	1 1 1	11.15 12.05	1	16	2,725	210 35	00000
8	CPTR 0302	PTEC1310 A	1 1 1	12.00 13.05	1	25	2,725	210 35	00000
8	CPTR 0302	PTEC2420B B	1	12.00 13.40	1	21	2,725	210 35	00000
8	CPTR 0302	PTEC2430B A	1	12.00 13.40	1	19	2,725	210 35	00000
8	CPTR 0302	PTEC2430B B	1	12.00 13.40	1	25	2,725	210 35	00000
	CPTR 0302	PTEC2030 A	1 1	12.15 13.30		14	2,725	210 35	00000
	CPTR 0302	PTEC2420 C	1 1	12.15 13.30	1	22	2,725	210 35	00000
	CPTR 0302	PTEC2620 B	1 1	12.15 13.30	1	10	2,725	210 35	00000
8	CPTR 0302	PTEC1310 D	1 1	12.15 13.55	1	20	2,725	210 35	00000
8	CPTR 0302	PTEC1610 C	1 1	12.15 13.55	1	17	2,725	210 35	00000
8	CPTR 0302	PTEC2620 C	1 1	13.40 14.55	1	13	2,725	210 35	00000
8	CPTR 0302	PTEC2420B C	1 1	13.45 14.35	1	20	2,725	210 35	00000
8	CPTR 0302	PTEC2911 A	1 11	14.00 16.30	1	21	2,725	210 35	00000
8	CPTR 0302	PTEC2911 B	1 11	14.00 16.30	1	25	2,725	210 35	00000
8	CPTR 0302	PTEC1310 B	1 1	14.20 16.00	1	27	2,725	210 35	00000
	CPTR 0302	PTEC2440 N	1 1	17.30 18.45		11	2,725	210 35	00000
	CPTR 0302	PTEC1610 N	1 1	17.30 19.05	1	16	2,725	210 35	00000
	CPTR 0302	PTEC1320 N	1 1	17.30 19.05		18	2,725	210 35	00000
8	CPTR 0311	PTEC1320 A	1 1 1	7.45 8.50		25	1,723	210 15	00000
	CPTR 0311	PTEC1320 B	1 1	7.45 9.15		17	1,723	210 15	00000
4	CPTR 0311	PTEC2912 A	1 1 1	8.00 16.00		3	1,723	210 15	00000
8	CPTR 0311	PTEC2420 A	1 1 1	9.00 9.50	1	21	1,723	210 15	00000
8	CPTR 0311	PTEC2440 A	1 1 1	9.00 9.50	1	24	1,723	210 15	00000
	CPTR 0311	PTEC2440 B	1 1	9.25 10.40		18	1,723	210 15	00000
8	CPTR 0311	PTEC1310 C	1 1	9.25 11.05	1	28	1,723	210 15	00000
8	CPTR 0311	PTEC2420B A	1	9.25 11.05	1	18	1,723	210 15	00000
	CPTR 0311	PTEC2430 A	1 11	11.00 11.50		20	1,723	210 15	00000
8	CPTR 0311	PTEC2430 B	1 11	11.00 11.50	1	24	1,723	210 15	00000
8	CPTR 0311	PTEC2420 B	1 1 1	11.15 12.05	1	16	1,723	210 15	00000
8	CPTR 0311	PTEC1310 A	1 1 1	12.00 13.05	1	25	1,723	210 15	00000
8	CPTR 0311	PTEC2420B B	1	12.00 13.40	1	21	1,723	210 15	00000
8	CPTR 0311	PTEC2430B A	1	12.00 13.40	1	19	1,723	210 15	00000
8	CPTR 0311	PTEC2430B B	1	12.00 13.40	1	25	1,723	210 15	00000
	CPTR 0311	PTEC2420 C	1 1	12.15 13.30		22	1,723	210 15	00000
8	CPTR 0311	PTEC1310 D	1 1	12.15 13.55	1	20	1,723	210 15	00000
8	CPTR 0311	PTEC2420B C	1 1	13.45 14.35	1	20	1,723	210 15	00000
8	CPTR 0311	PTEC2911 A	1 11	14.00 16.30	1	21	1,723	210 15	00000
8	CPTR 0311	PTEC2911 B	1 11	14.00 16.30	1	25	1,723	210 15	00000
8	CPTR 0311	PTEC1310 B	1 1	14.20 16.00	1	27	1,723	210 15	00000
	CPTR 0311	PTEC2440 N	1 1	17.30 18.45		11	1,723	210 15	00000
	CPTR 0311	PTEC1320 N	1 1	17.30 19.05		18	1,723	210 15	00000
	EMCH 0309	ELEC1122 A	1 1 1	8.00 9.30		35	1,145	210 23	00000
	EMCH 0309	ELEC1122 B	1 1	8.00 10.20		29	1,145	210 23	00000
	EMCH 0309	ELEC1430 A	1 1 1	9.40 11.20		25	1,145	210 23	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	EMCH 0309	ELEC2460 A	1 1	11.00 12.15		29	1,145	210 23	00000
	EMCH 0309	ELEC1230 N	1 1	17.00 20.00		21	1,145	210 23	00000
	EMCH 0310	ELEC1422 A	1 1 1	8.00 10.00		18	1,756	210 20	00000
	EMCH 0310	ELEC1422 B	1 1 1	10.20 12.20		18	1,756	210 20	00000
	EMCH 0310	ELEC2630 A	1 1 1	13.00 14.45		18	1,756	210 20	00000
	EMCH 0310	ELEC2630 N	1 1	17.00 19.45		17	1,756	210 20	00000
	EMCH 0312	CRMJ2552 A	1	8.00 8.50		8	1,177	110 36	00000
	EMCH 0312	CRMJ1332 A	1 1	8.00 9.15		33	1,177	110 36	00000
	EMCH 0312	CRMJ1110 A	1 1 1	9.00 9.50		30	1,177	110 36	00000
	EMCH 0312	CRMJ1220 B	1 1	9.25 10.40		31	1,177	110 36	00000
	EMCH 0312	CRMJ1110 B	1 1 1	10.00 10.50		30	1,177	110 36	00000
	EMCH 0312	CRMJ2997 A	1 1	10.50 12.05		31	1,177	110 36	00000
	EMCH 0312	CRMJ1220 A	1 1 1	11.00 11.50		33	1,177	110 36	00000
	EMCH 0312	CRMJ1340 A	1 1 1	12.00 12.50		33	1,177	110 36	00000
	EMCH 0312	CRMJ2520 A	1 1 1	13.00 13.50		30	1,177	110 36	00000
	EMCH 0312	CRMJ2510 N	1	17.00 20.45		22	1,177	110 36	00000
	EMCH 0312	CRMJ1210 M	1	17.00 20.45		21	1,177	110 36	00000
	EMCH 0312	CRMJ1210 A	1	17.00 20.45		18	1,177	110 36	00000
	EMCH 0312	CRMJ1110 N	1	17.25 20.05		17	1,177	110 36	00000
	EMCH 0313	HACR2541 A	1111	15.30 17.30		4	3,160	210 40	00000
	EMCH 0313X	HACR2541 A	1111	15.30 17.30		4	1,824	210 30	00000
8	EMCH 0314	INST2811 A	1 1 1	8.00 9.45		18	483	210 10	00000
	EMCH 0314	INST2811 B	1 1 1	10.00 11.45		7	483	210 10	00000
8	EMCH 0314	INST2841 A	1 1	12.15 15.00		18	483	210 10	00000
8	EMCH 0314	INST2841 N	1 1	17.00 19.50		18	483	210 10	00000
8	EMCH 0315	INST2721 A	1 1 1	8.00 9.45		19	596	210 12	00000
	EMCH 0315	INST2841 B	1 1	10.00 12.00		1	596	210 12	00000
8	EMCH 0315	INST2721 B	1 1 1	12.30 14.15		20	596	210 12	00000
	EMCH 0316	ELEC1340 A	1 1 1	9.45 11.30		27	587	110 26	00000
	EMCH 0316	ELEC1230 A	1 1	12.10 14.55		25	587	110 26	00000
8	EMCH 0320	ETRN1112 A	11111	8.00 9.45		40	1,238	210 25	00000
	EMCH 0320	ETRN1212 A	11111	10.00 11.45		33	1,238	210 25	00000
	EMCH 0320	ETRN1112 B	11111	13.00 14.45		34	1,238	210 25	00000
	EMCH 0320	ETRN1112 N	111	17.00 19.45		36	1,238	210 25	00000
	EMCH 0324	INST2731 A	1 1 1	10.00 11.30		26	1,091	210 22	00000
	EMCH 0324	PHSC1000 A	1 1 1	12.00 12.50		24	1,091	210 22	00000
	EMCH 0324	INST1110 C	1 1	12.15 14.25		15	1,091	210 22	00000
	EMCH 0324	PHSC1000 B	1 1 1	13.00 13.50		24	1,091	210 22	00000
	EMCH 0325	ETRN1232 A	1 1	8.00 10.20		30	2,724	210 45	00000
4	EMCH 0325	ETRN2120 A	1 1 1	9.30 15.00		7	2,724	210 45	00000
4	EMCH 0325	ETRN2130 A	1 1 1	9.30 15.00	1	8	2,724	210 45	00000
4	EMCH 0325	ETRN2800 A	1 1 1	9.30 15.00	1	7	2,724	210 45	00000
	EMCH 0325	ETRN2112 A	1 1	12.30 14.50		27	2,724	210 45	00000
	EMCH 0325	ETRN1112 N	111	17.00 19.45		36	2,724	210 45	00000
	EMCH 0327	INST1110 A	1 1 1	10.00 11.25		39	1,049	110 40	00000
	EMCH 0327	INST1110 B	1 1	10.00 12.10		40	1,049	110 40	00000
	EMCH 0327	INST1311 A	1 1 1	12.00 13.40		31	1,049	110 40	00000
	EMCH 0327	INST1411 A	1 1 1	14.00 15.40		29	1,049	110 40	00000
8	EMCH 0328	INST1110 A	1 1 1	10.00 11.25		39	1,131	210 23	00000
8	EMCH 0328	INST2731 A	1 1 1	10.00 11.30	1	26	1,131	210 23	00000
	EMCH 0328	INST2841 B	1 1	10.00 12.00		1	1,131	210 23	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	EMCH 0328	INST1110 B	1 1	10.00 12.10	1	40	1,131	210 23	00000	
	EMCH 0328	INST1311 A	1 1 1	12.00 13.40		31	1,131	210 23	00000	
	EMCH 0328	INST1110 C	1 1	12.15 14.25		15	1,131	210 23	00000	
	EMCH 0328	INST2841 A	1 1	12.15 15.00	1	18	1,131	210 23	00000	
	EMCH 0328	INST1411 A	1 1 1	14.00 15.40		29	1,131	210 23	00000	
	EMCH 0328	INST2841 N	1 1	17.00 19.50		18	1,131	210 23	00000	
	EMCH 0328X	ELEC1422 A	1 1 1	8.00 10.00		18	2,157	210 25	00000	
8	EMCH 0328X	INST1110 A	1 1 1	10.00 11.25		39	2,157	210 25	00000	
8	EMCH 0328X	INST2731 A	1 1 1	10.00 11.30	1	26	2,157	210 25	00000	
	EMCH 0328X	INST2841 B	1 1	10.00 12.00		1	2,157	210 25	00000	
8	EMCH 0328X	INST1110 B	1 1	10.00 12.10	1	40	2,157	210 25	00000	
	EMCH 0328X	ELEC1422 B	1 1 1	10.20 12.20		18	2,157	210 25	00000	
8	EMCH 0328X	INST1311 A	1 1 1	12.00 13.40	1	31	2,157	210 25	00000	
	EMCH 0328X	INST1110 C	1 1	12.15 14.25		15	2,157	210 25	00000	
	EMCH 0328X	INST2841 A	1 1	12.15 15.00	1	18	2,157	210 25	00000	
	EMCH 0328X	INST1411 A	1 1 1	14.00 15.40		29	2,157	210 25	00000	
	EMCH 0328X	INST2841 N	1 1	17.00 19.50		18	2,157	210 25	00000	
4	LANB 0100	CDEV20045 A	111	8.00 17.00		1	500	210 10	00000	
4	LANL 0100	CDEV20040 A	111	8.00 17.00		1	500	210 10	00000	
4	LANL 0100	CDEV20049 A	11111	8.30 16.30	1	1	500	210 10	00000	
	LCHB 0101	CULN1321 A	11111	6.30 11.00		10	3,924	110 30	00000	
	LCHB 0101	CULN1130 A	11111	7.00 10.45	1	31	3,924	110 30	00000	
8	LCHB 0101	CULN2430 A	11111	7.00 10.45	1	11	3,924	110 30	00000	
4	8	LCHB 0101	CULN1140 A	11111	7.00 12.15	1	29	3,924	110 30	00000
4	8	LCHB 0101	CULN1150 A	11111	7.00 12.15	1	32	3,924	110 30	00000
4	8	LCHB 0101	CULN2420 A	11111	7.00 12.15	1	18	3,924	110 30	00000
	8	LCHB 0101	CULN1230 A	11111	8.45 11.30	1	11	3,924	110 30	00000
	8	LCHB 0101	CULN2440 A	11111	10.45 15.15	1	9	3,924	110 30	00000
	8	LCHB 0101	CULN1120 A	11111	11.00 14.00	1	26	3,924	110 30	00000
	8	LCHB 0101	CULN1310 A	11111	11.00 15.15	1	12	3,924	110 30	00000
	LCHB 0105	CULN1321 A	11111	6.30 11.00		10	530	210 11	00000	
8	LCHB 0105	CULN1130 A	11111	7.00 10.45	1	31	530	210 11	00000	
8	LCHB 0105	CULN2430 A	11111	7.00 10.45	1	11	530	210 11	00000	
4	8	LCHB 0105	CULN1140 A	11111	7.00 12.15	1	29	530	210 11	00000
4	8	LCHB 0105	CULN2420 A	11111	7.00 12.15	1	18	530	210 11	00000
	8	LCHB 0105	CULN1230 A	11111	8.45 11.30	1	11	530	210 11	00000
	8	LCHB 0105	CULN2440 A	11111	10.45 15.15	1	9	530	210 11	00000
	8	LCHB 0105	CULN1120 A	11111	11.00 14.00	1	26	530	210 11	00000
	8	LCHB 0105	CULN1310 A	11111	11.00 15.15	1	12	530	210 11	00000
	8	LCHB 0105D	CULN1130 A	11111	7.00 10.45		31	143	210 3	00000
	LCHB 0106	HOST1010 A	11111	12.15 14.30		25	672	110 30	00000	
8	LCHB 0106	CULN1110 A	11111	13.00 14.15	1	25	672	110 30	00000	
	LCHB 0108	CULN1321 A	11111	6.30 11.00		10	616	210 12	00000	
	8	LCHB 0108	CULN1130 A	11111	7.00 10.45	1	31	616	210 12	00000
4	8	LCHB 0108	CULN1150 A	11111	7.00 12.15	1	32	616	210 12	00000
4	8	LCHB 0108	CULN2420 A	11111	7.00 12.15	1	18	616	210 12	00000
	MA01 A0002	PTEC1010 A	1 1 1	8.00 8.50		25	625	110 30	00000	
	MA01 A0002	PTEC1010 B	1 1 1	9.00 9.50		25	625	110 30	00000	
	MA01 A0002	PTEC2030 B	1 1 1	10.00 10.50		25	625	110 30	00000	
	MA01 A0002	PTEC1010 D	1 1	10.50 12.05		25	625	110 30	00000	
	MA01 A0002	PTEC2030 A	1 1	12.15 13.30		14	625	110 30	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 10

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	MA01	A0002	PTEC1000 A	1 1	13.00 13.50	1	20	625	110 30 00000
	MA03	A0004	PTEC2620 A	1 1	9.25 10.40		15	625	110 30 00000
	MA03	A0004	PTEC1010 C	1 1 1	11.00 11.50		26	625	110 30 00000
	MA03	A0004	PTEC2620 B	1 1	12.15 13.30		10	625	110 30 00000
	MA03	A0004	PTEC2620 C	1 1	13.40 14.55		13	625	110 30 00000
4	MA07	A0008	AMTG1090 A	111111	8.00 15.30		25	625	110 30 00000
	8 MB02	B0001	CRMJ1210 M	1	17.00 20.45		21	625	110 13 00000
	MB02	B0001	CRMJ1210 A	1	17.00 20.45		18	625	110 13 00000
	MECH	0601	COMA2020 A	1 1 1	8.00 9.35		17	552	210 11 00000
	8 MECH	0601	COMA1010 A	1 1	8.00 9.50	1	26	552	210 11 00000
	8 MECH	0601	COMA1030 A	1 1	8.00 10.25		22	552	210 11 00000
	8 MECH	0601	COMA2010 A	1 1	8.00 10.25	1	19	552	210 11 00000
	8 MECH	0601	COMA1210 A	1 1 1	10.00 11.35		18	552	210 11 00000
	MECH	0601	COMA2040 A	1 1	12.15 14.40		15	552	210 11 00000
	8 MECH	0601	COMA2210 A	1 1	12.15 14.40	1	15	552	210 11 00000
	8 MECH	0601	COMA1020 A	1 1 1	13.00 14.35		22	552	210 11 00000
	8 MECH	0601	COMA2240 A	1 1 1	13.00 14.35	1	19	552	210 11 00000
	8 MECH	0602	COMA2040 A	1 1	12.15 14.40		15	432	210 5 00000
	MECH	0603	COMA2020 A	1 1 1	8.00 9.35		17	744	210 15 00000
	MECH	0603	COMA2010 A	1 1	8.00 10.25		19	744	210 15 00000
	MECH	0603	COMA1230 A	1 1 1	10.00 11.35		19	744	210 15 00000
	MECH	0603	COMA2500 A	1	11.00 12.00		8	744	210 15 00000
	MECH	0603	COMA2210 A	1 1	12.15 14.40		15	744	210 15 00000
	MECH	0603	COMA2240 A	1 1 1	13.00 14.35		19	744	210 15 00000
	MECH	0603	LEIS2008 A	1	17.30 20.00		9	744	210 15 00000
	MECH	0611	COMA2030 A	1 1 1	8.00 9.35		13	552	210 11 00000
	8 MECH	0611	COMA1030 A	1 1	8.00 10.25		22	552	210 11 00000
	8 MECH	0611	COMA1210 A	1 1 1	10.00 11.35		18	552	210 11 00000
	MECH	0611	COMA2050 A	1 1 1	13.00 14.35		17	552	210 11 00000
	MECH	0611	LEIS2007 A	1	17.30 20.00		9	552	210 11 00000
	METL	0102	TSMA0092 A	1 1 1	8.00 8.50		24	875	410 34 00000
	METL	0102	TSMA0092 B	1 1 1	8.00 8.50	1	25	875	410 34 00000
	8 METL	0102	TSMA0092 D	1 1 1	8.00 8.50	1	23	875	410 34 00000
	8 METL	0102	TSMA0093 A	1 1 1	8.00 8.50	1	26	875	410 34 00000
	METL	0102	TSMA0092 H	1 1	8.00 9.15		27	875	410 34 00000
	METL	0102	TSMA0092 I	1 1	8.00 9.15	1	24	875	410 34 00000
	8 METL	0102	TSMA0093 G	1 1	8.00 9.15	1	20	875	410 34 00000
	METL	0102	TSMA0092 C	1 1 1	9.00 9.50		24	875	410 34 00000
	METL	0102	TSMA0093 B	1 1 1	9.00 9.50	1	26	875	410 34 00000
	METL	0102	TSMA0092 J	1 1	9.25 10.40		28	875	410 34 00000
	8 METL	0102	TSMA0092 P	1 1	9.25 10.40	1	25	875	410 34 00000
	METL	0102	TSMA0092 K	1 1 1	10.00 10.50		24	875	410 34 00000
	METL	0102	TSMA0093 C	1 1 1	10.00 10.50	1	25	875	410 34 00000
	METL	0102	TSMA0093 I	1 1	10.50 12.05		17	875	410 34 00000
	METL	0102	TSMA0093 E	1 1 1	11.00 11.50		19	875	410 34 00000
	METL	0102	TSMA0092 F	1 1 1	12.00 12.50		30	875	410 34 00000
	8 METL	0102	TSMA0092 L	1 1 1	12.00 12.50	1	28	875	410 34 00000
	8 METL	0102	TSMA0093 F	1 1 1	12.00 12.50	1	21	875	410 34 00000
	METL	0102	TSMA0093 J	1 1	12.15 13.30		20	875	410 34 00000
	METL	0102	TSMA0092 G	1 1 1	13.00 13.50		26	875	410 34 00000
	METL	0102	TSMA0092 O	1 1 1	13.00 13.50	1	22	875	410 34 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 11

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	METL 0102	TSMA0092	N 1 1	13.00 14.15	1	29	875	410 34	00000	
8	METL 0102	TSMA0092	E 1 1	14.00 15.15	1	25	875	410 34	00000	
8	METL 0102	TSMA0093	N 1 1	14.30 15.45	1	12	875	410 34	00000	
	METL 0102	TSMA0092	M 1 1	17.30 18.45		26	875	410 34	00000	
	METL 0103	COMA1010	B 1 1	8.00 9.50		25	425	110 19	00000	
4	METL 0104	WELD1210	A 11111	8.00 14.30		18	445	110 25	00000	
4	METL 0104	WELD1410	A 11111	8.00 14.30	1	18	445	110 25	00000	
4	8	METL 0104	WELD1411	A 11111	8.00 14.30	1	20	445	110 25	00000
4	8	METL 0104	WELD1420	A 11111	8.00 14.30	1	23	445	110 25	00000
4	8	METL 0104	WELD1510	A 11111	8.00 14.30	1	5	445	110 25	00000
4	8	METL 0104	WELD1514	A 11111	8.00 14.30	1	8	445	110 25	00000
4	8	METL 0104	WELD1515	A 11111	8.00 14.30	1	6	445	110 25	00000
4	8	METL 0104	WELD1516	A 11111	8.00 14.30	1	11	445	110 25	00000
4	8	METL 0104	WELD1517	A 11111	8.00 14.30	1	2	445	110 25	00000
4	8	METL 0104	WELD2220	A 11111	8.00 14.30	1	3	445	110 25	00000
4	8	METL 0104	WELD2222	A 11111	8.00 14.30	1	2	445	110 25	00000
4	METL 0106	WELD1210	A 11111	8.00 14.30		18	4,186	210 36	00000	
4	METL 0106	WELD1410	A 11111	8.00 14.30	1	18	4,186	210 36	00000	
4	8	METL 0106	WELD1411	A 11111	8.00 14.30	1	20	4,186	210 36	00000
4	8	METL 0106	WELD1420	A 11111	8.00 14.30	1	23	4,186	210 36	00000
4	8	METL 0106	WELD1510	A 11111	8.00 14.30	1	5	4,186	210 36	00000
4	8	METL 0106	WELD1514	A 11111	8.00 14.30	1	8	4,186	210 36	00000
4	8	METL 0106	WELD1515	A 11111	8.00 14.30	1	6	4,186	210 36	00000
4	8	METL 0106	WELD1516	A 11111	8.00 14.30	1	11	4,186	210 36	00000
4	8	METL 0106	WELD1517	A 11111	8.00 14.30	1	2	4,186	210 36	00000
4	8	METL 0106	WELD2220	A 11111	8.00 14.30	1	3	4,186	210 36	00000
4	8	METL 0106	WELD2221	A 11111	8.00 14.30	1	3	4,186	210 36	00000
4	8	METL 0106	WELD2222	A 11111	8.00 14.30	1	2	4,186	210 36	00000
4	METL 0117	WELD1210	A 11111	8.00 14.30		18	3,210	210 20	00000	
4	PLPS 0100	WELD1130	P 11111	7.00 15.30		6	9,130	210 30	00000	
4	PLPS 0100	WELD1210	P 11111	7.00 15.30	1	11	9,130	210 30	00000	
4	PLPS 0100	WELD1310	P 11111	7.00 15.30	1	11	9,130	210 30	00000	
4	PLPS 0100	WELD1410	P 11111	7.00 15.30	1	11	9,130	210 30	00000	
4	PLPS 0100	WELD1411	P 11111	7.00 15.30	1	5	9,130	210 30	00000	
4	8	PLPS 0100	WELD1420	P 11111	7.00 15.30	1	7	9,130	210 30	00000
4	8	PLPS 0100	WELD1510	P 11111	7.00 15.30	1	6	9,130	210 30	00000
4	8	PLPS 0100	WELD1514	P 11111	7.00 15.30	1	6	9,130	210 30	00000
4	8	PLPS 0100	WELD1515	P 11111	7.00 15.30	1	11	9,130	210 30	00000
4	8	PLPS 0100	WELD1516	P 11111	7.00 15.30	1	4	9,130	210 30	00000
4	8	PLPS 0100	WELD1517	P 11111	7.00 15.30	1	2	9,130	210 30	00000
4	8	PLPS 0100	WELD2110	P 11111	7.00 15.30	1	11	9,130	210 30	00000
4	8	PLPS 0100	WELD2111	P 11111	7.00 15.30	1	8	9,130	210 30	00000
4	8	PLPS 0100	WELD2210	P 11111	7.00 15.30	1	6	9,130	210 30	00000
4	8	PLPS 0100	WELD2220	P 11111	7.00 15.30	1	10	9,130	210 30	00000
4	8	PLPS 0100	WELD2221	P 11111	7.00 15.30	1	12	9,130	210 30	00000
4	8	PLPS 0100	WELD2222	P 11111	7.00 15.30	1	12	9,130	210 30	00000
4	8	PLPS 0100	WELD2230	P 11111	7.00 15.30	1	10	9,130	210 30	00000
4	8	PLPS 0100	WELD2310	P 11111	7.00 15.30	1	9	9,130	210 30	00000
4	8	PLPS 0100	WELD2311	P 11111	7.00 15.30	1	8	9,130	210 30	00000
4	8	PLPS 0100	WELD2312	P 11111	7.00 15.30	1	7	9,130	210 30	00000
4	8	PLPS 0100	WELD2990	P 11111	7.00 15.30	1	5	9,130	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 12

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	PLPS 0100	WELD2993 P	11111	7.00 15.30	1	2	9,130	210 30	00000
4		PLPS 0101	AUTO1002 P	11111	7.00 15.30		17	6,848	210 18	00000
4	8	PLPS 0101	AUTO1202 P	11111	7.00 15.30	1	26	6,848	210 18	00000
4	8	PLPS 0101	AUTO1302 P	11111	7.00 15.30	1	26	6,848	210 18	00000
4	8	PLPS 0101	AUTO1602 P	11111	7.00 15.30	1	24	6,848	210 18	00000
4		PLPS 0105	AUTO1002 P	11111	7.00 15.30		17	600	210 12	00000
4	8	PLPS 0105	CPTR1100 P	11111	7.00 15.30	1	6	600	210 12	00000
4	8	PLPS 0105	JOBS2450 P	11111	7.00 15.30	1	14	600	210 12	00000
4	8	PLPS 0105	WELD1110 P	11111	7.00 15.30	1	6	600	210 12	00000
4	8	PLPS 0105	WELD1120 P	11111	7.00 15.30	1	6	600	210 12	00000
		TB62 0062	TSMA0092 B	1 1 1	8.00 8.50		25	713	110 30	00000
		TB62 0062	TSMA0092 I	1 1	8.00 9.15		24	713	110 30	00000
		TB62 0062	TSMA0092 C	1 1 1	9.00 9.50		24	713	110 30	00000
		TB62 0062	TSMA0092 K	1 1 1	10.00 10.50		24	713	110 30	00000
		TB62 0062	TSMA0092 F	1 1 1	12.00 12.50		30	713	110 30	00000
		TB64 0064	JOBS2450 A	1 1	8.00 8.50		19	713	110 30	00000
		TB64 0064	JOBS2450 B	1 1	10.00 10.50		23	713	110 30	00000
4	8	TRNS 0001	AUTO1602 A	11111	8.00 14.30		37	698	210 14	00000
4		TRNS 0002	AUTO1202 A	11111	8.00 14.30		13	698	210 14	00000
4	8	TRNS 0002	AUTO1502 A	11111	8.00 14.30	1	35	698	210 14	00000
4	8	TRNS 0002	AUTO1812 A	11111	8.00 14.30	1	36	698	210 14	00000
	8	TRNS 0003	CLRP1110 A	11111	8.00 11.00		36	698	210 14	00000
	8	TRNS 0003	CLRP1121 A	11111	8.00 11.00	1	36	698	210 14	00000
4	8	TRNS 0003	CLRP1150 A	11111	8.00 14.30	1	1	698	210 14	00000
4	8	TRNS 0003	CLRP1320 A	11111	8.00 14.30	1	19	698	210 14	00000
	8	TRNS 0003	CLRP2111 A	11111	11.30 14.30	1	4	698	210 14	00000
	8	TRNS 0003	CLRP2121 A	11111	11.30 14.30	1	4	698	210 14	00000
4		TRNS 0100	AUTO1602 A	11111	8.00 14.30		37	4,322	210 40	00000
4		TRNS 0200	AUTO1202 A	11111	8.00 14.30		13	4,362	210 40	00000
4		TRNS 0200	AUTO1502 A	11111	8.00 14.30	1	35	4,362	210 40	00000
4	8	TRNS 0200	AUTO1812 A	11111	8.00 14.30	1	36	4,362	210 40	00000
4		TRNS 0300	CLRP1150 A	11111	8.00 14.30		1	3,954	210 40	00000
4		TRNS 0300	CLRP1320 A	11111	8.00 14.30	1	19	3,954	210 40	00000
		TRNS 0300	CLRP2121 A	11111	11.30 14.30	1	4	3,954	210 40	00000
4	8	TRNS 0301	CLRP1320 A	11111	8.00 14.30		19	360	210 6	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 123

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 197
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 320

TOTAL NUMBER OF RECORDS READ 596
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 596
NUMBER OF JOINT-CLASS RECORDS 211
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			38
TOTAL NUMBER OF STATIONS (CAPACITY)			1058
WEEKLY STUDENT CONTACT HOURS	25379	1465	26844
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3420	1900	5320
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1761	146	1907
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	95220	52900	148120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46997	4320	51317
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	50758	2930	53688
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	51.5	7.7	35.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	53.3	5.5	36.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	108.0	67.8	104.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
--	------------------------	--------------------------	--------------------------

CLASSROOM

TOTAL NUMBER OF ROOMS			38
TOTAL NUMBER OF STATIONS (CAPACITY)			1058
WEEKLY STUDENT CONTACT HOURS	25379	1465	26844
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3420	1900	5320
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1761	146	1907
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	95220	52900	148120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46997	4320	51317
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	50758	2930	53688
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	51.5	7.7	35.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	53.3	5.5	36.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	108.0	67.8	104.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			57
TOTAL NUMBER OF STATIONS (CAPACITY)			1453
WEEKLY STUDENT CONTACT HOURS	68012	2095	70107
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5130	2850	7980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5011	218	5229
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	130770	72650	203420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	138534	5016	143550
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	136025	4190	140215
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	97.7	7.6	65.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	104.0	5.8	68.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	98.2	83.5	97.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			57
TOTAL NUMBER OF STATIONS (CAPACITY)			1453
WEEKLY STUDENT CONTACT HOURS	68012	2095	70107
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5130	2850	7980
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5011	218	5229
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	130770	72650	203420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	138534	5016	143550
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	136025	4190	140215
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	97.7	7.6	65.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	104.0	5.8	68.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	98.2	83.5	97.7

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			95
TOTAL NUMBER OF STATIONS (CAPACITY)			2511
WEEKLY STUDENT CONTACT HOURS	93391	3560	96951
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8550	4750	13300
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6772	364	7136
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	225990	125550	351540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	185531	9336	194867
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	186783	7120	193903
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.2	7.7	53.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	82.7	5.7	55.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	100.7	76.3	99.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY