

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	OMCS	0112	HPHL1013C01	11 11	8.30 11.00		3	712	110 22 00000	
	OMCS	0112	HNUR1211CC1	11111	9.35 11.05	1	13	712	110 22 00000	
	OMCS	0112	HEKG1113C01	11 11	12.00 13.25		2	712	110 22 00000	
	OMCS	0115	HCOR1200C01	1111	8.00 9.25		12	712	110 22 00000	
	OMCS	0115	BOTH1120C01	1 1	8.00 9.25	1	3	712	110 22 00000	
	OMCS	0115	BOTH1300C01	1 1	8.00 9.25		5	712	110 22 00000	
	OMCS	0115	HCOR1211C01	1111	9.35 11.00		8	712	110 22 00000	
8	OMCS	0115	HNUR1211C01	1 1 1	9.35 11.00	1	32	712	110 22 00000	
	OMCS	0115	HCOR1601C01	1111	13.35 15.00		13	712	110 22 00000	
	OMCS	0135	BOTH1230C01	1111	8.30 10.00		5	822	210 25 00000	
	OMCS	0135	OSYS1250C01	1111	8.30 10.00	1	5	822	210 25 00000	
	OMCS	0135	KYBD1010C01	1111	10.10 11.40		14	822	210 25 00000	
	OMCS	0135	ACCT1500C01	1111	10.10 12.05	1	2	822	210 25 00000	
	OMCS	0135	BUSM1050C01	1111	10.10 12.05	1	5	822	210 25 00000	
	OMCS	0135	KYBD1200C01	1111	10.10 12.30	1	14	822	210 25 00000	
8	OMCS	0135	CSRV1000C01	1111	13.30 15.00		19	822	210 25 00000	
	OMCS	0135	BOTH1210C02	1111	13.30 15.50	1	26	822	210 25 00000	
	OMCS	0137	LEAD1003C01	1111	8.00 9.30		21	546	210 25 00000	
	OMCS	0137	LEAD1003C02	1 1	9.35 11.00		17	546	210 25 00000	
	OMCS	0137	BUSM1050C02	1 1	11.00 13.00		1	546	210 25 00000	
	OMCS	0137	LEAD1003C05	1 1	12.00 13.30		7	546	210 25 00000	
	OMCS	0140	HNUR1100C01	11111	8.00 9.25		50	1,223	110 41 00000	
	OMCS	0140	HNUR2996C01	1 1	9.35 11.00		5	1,223	110 41 00000	
	OMCS	0140	HNUR1000C01	1 1 1	12.00 13.25		43	1,223	110 41 00000	
	OMCS	0141	HNUR1363C01	1 1 1	12.00 13.25		22	1,223	110 41 00000	
	OMCS	0141	HNUR1322C01	1 1	12.00 13.25		15	1,223	110 41 00000	
	OMCS	0141	HNUR1411C01	11111	13.35 15.00		22	1,223	110 41 00000	
	OMCS	0142	HNUR2128C01	1 1	8.00 11.00		16	1,223	110 25 00000	
	OMCS	0142	HNUR2722C01	1 1	12.00 13.25		16	1,223	110 25 00000	
	OMCS	0142	HNUR2522C01	1 1	13.35 15.00		14	1,223	110 25 00000	
	OMCS	0143	HNUR2138C01	1 1	8.00 11.00		11	1,223	110 25 00000	
	OMCS	0143	HNUR2712C01	1 1	12.00 13.25		11	1,223	110 25 00000	
	OMCS	0143	HNUR2812C01	1 1	13.35 15.00		11	1,223	110 25 00000	
	OMCT	0101	IIET2991C01	1111	8.00 8.46		13	1,064	110 32 00000	
	OMCT	0101	IIET2993CN1	1111	15.15 17.00		13	1,064	110 32 00000	
	OMCT	0110	IIET2014C01	1111	10.30 15.00		9	989	210 18 00000	
	OMCT	0110	IIET2014C02	1111	10.30 15.00	1	15	989	210 18 00000	
	OMCT	0110	IIET2014CN1	1111	16.00 20.30		14	989	210 18 00000	
	OMCT	0112	IIET2034C01	1111	10.30 14.15		18	951	110 21 00000	
4	8	OMCT	0112	IIET2043C02	1111	10.30 15.45	1	31	951	110 21 00000
4	8	OMCT	0112	IIET2053C02	1111	10.30 15.45	1	32	951	110 21 00000
4	8	OMCT	0112	IIET2063C02	1111	10.30 15.45	1	9	951	110 21 00000
	OMCT	0112	IIET2043CN2	1111	16.30 20.00		19	951	110 21 00000	
	8	OMCT	0112	IIET2034CN1	1111	17.00 21.00	1	19	951	110 21 00000
	OMCT	0114	WBLE2041C02	1111	7.30 8.45		2	890	110 21 00000	
	OMCT	0114	WBLE2042C02	1111	9.00 12.00		2	890	110 21 00000	
	OMCT	0114	WBLE2043C02	1111	14.00 17.00		1	890	110 21 00000	
	OMCT	0119	LEAD1003C03	1111	8.00 9.30		23	1,277	110 32 00000	
	OMCT	0119	WKSF1003C01	1 1	9.35 11.05		23	1,277	110 32 00000	
	OMCT	0119	WKSF1003C02	1 1	9.35 11.05	1	4	1,277	110 32 00000	
	OMCT	0119	LEAD1003C04	1 1	9.35 11.05		14	1,277	110 32 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 10/29/2019 15:21:57
 PAGE NUM 2

NWLTC - NORTHWEST LA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	OMCT	0119	WKSF1003C03	1 1	9.35 11.05	1	25	1,277	110 32 00000	
	OMCT	0119	IMMT1410C01	1111	10.30 11.30	1	8	1,277	110 32 00000	
8	OMCT	0119	IIET1022C01	1111	10.30 14.00	1	35	1,277	110 32 00000	
8	OMCT	0119	IIET1022C02	1111	10.30 14.00	1	11	1,277	110 32 00000	
8	OMCT	0119	IIET1032C01	1111	10.30 14.00	1	49	1,277	110 32 00000	
8	OMCT	0119	IIET1032C02	1111	10.30 14.00	1	6	1,277	110 32 00000	
8	OMCT	0119	IIET1212C02	1111	10.30 14.00	1	9	1,277	110 32 00000	
8	OMCT	0119	WKSF1003C04	1 1	13.35 15.05	1	10	1,277	110 32 00000	
	OMCT	0119	IIET1012C04	1 1	13.45 15.15		4	1,277	110 32 00000	
	OMCT	0119	LEAD1003CN1	1 1	16.00 19.00		26	1,277	110 32 00000	
	OMCT	0119	LEAD1003CN2	1 1	16.00 19.00	1	6	1,277	110 32 00000	
	OMCT	0119	IIET1212CN1	1111	16.00 21.00	1	14	1,277	110 32 00000	
8	OMCT	0119	IIET1022CN1	1111	17.00 21.00	1	34	1,277	110 32 00000	
8	OMCT	0119	IIET1032CN1	1111	17.00 21.00	1	37	1,277	110 32 00000	
8	OMCT	0119	WKSF1003CN1	1 1	19.15 21.00	1	24	1,277	110 32 00000	
8	OMCT	0119	WKSF1003CN2	1 1	19.15 21.00	1	7	1,277	110 32 00000	
4	OMCT	0123	IIET1253C02	1111	8.00 14.00		9	1,269	110 18 00000	
	OMCT	0123	IIET1253C01	1111	10.30 15.00	1	6	1,269	110 18 00000	
	OMCT	0123	IIET1253CN1	1111	18.15 20.45		15	1,269	110 18 00000	
	OMCT	0132	IMFG1013C01	1111	7.30 9.30		1	3,642	210 25 00000	
	OMCT	0132	IMFG1023C01	1111	8.00 10.15	1	1	3,642	210 25 00000	
	OMCT	0134	IMMT1120C01	1111	14.15 15.00		6	1,945	210 25 00000	
	OMCT	0136	IMFG1033C02	1111	8.00 10.15		1	606	110 25 00000	
	OMCT	0136	IMFG1223C01	1111	8.00 10.15	1	1	606	110 25 00000	
	OMCT	0136	IMFG1213C01	1111	10.30 12.45		1	606	110 25 00000	
	OMCT	0136	IMFG1233C01	1111	10.30 12.45	1	1	606	110 25 00000	
	OMCT	0136	IMMT1330C01	1111	13.00 15.15		6	606	110 25 00000	
	OMCT	0136	IMMT1320C01	1111	14.00 16.15	1	6	606	110 25 00000	
	OMCT	0138	IIET1232C01	1111	7.30 9.45		10	606	110 25 00000	
	OMCT	0138	IIET1222C02	1111	8.00 10.15	1	10	606	110 25 00000	
	OMCT	0138	IMMT1411C01	1111	8.00 10.15	1	9	606	110 25 00000	
4	8	OMCT	0138	IIET1243C02	1111	10.00 16.00	1	10	606	110 25 00000
	8	OMCT	0138	IIET1243C01	1111	10.30 15.00	1	6	606	110 25 00000
	8	OMCT	0138	IIET1012C01	1 1	11.20 13.40	1	25	606	110 25 00000
	OMCT	0138	IIET1012C03	1 1	11.20 13.40		11	606	110 25 00000	
	OMCT	0138	IMMT1311C01	1111	14.00 15.30		5	606	110 25 00000	
	OMCT	0138	IIET1012C02	1 1	14.15 16.25	1	4	606	110 25 00000	
	OMCT	0138	IIET1222CN1	1111	17.00 19.15		6	606	110 25 00000	
	OMCT	0138	IIET1012CN1	1 1	17.00 20.45	1	24	606	110 25 00000	
8	OMCT	0138	IIET1243CN1	1111	18.15 20.45	1	12	606	110 25 00000	
8	OMCT	0138	IIET1232CN1	1111	18.30 20.45	1	9	606	110 25 00000	
	OMCT	0140	WELD2991C02	1111	8.00 10.00		1	2,741	210 25 00000	
	OMCT	0140	WELD2993C01	1111	8.00 10.00	1	1	2,741	210 25 00000	
	OMCT	0140	WELD1411C01	1111	8.00 10.50	1	13	2,741	210 25 00000	
	OMCT	0140	WELD2093C01	1111	8.00 10.50	1	4	2,741	210 25 00000	
	OMCT	0140	WELD2100C01	1111	8.00 10.50	1	2	2,741	210 25 00000	
	OMCT	0140	WELD1023C03	1111	8.00 11.00	1	5	2,741	210 25 00000	
	OMCT	0140	WELD1511C01	1111	8.00 11.45	1	1	2,741	210 25 00000	
	OMCT	0140	WELD2231C01	1111	8.00 11.45	1	5	2,741	210 25 00000	
8	OMCT	0140	WELD1074C01	1111	8.00 12.40	1	7	2,741	210 25 00000	
8	OMCT	0140	WELD1074C02	1111	8.00 12.40	1	1	2,741	210 25 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 10/29/2019 15:21:57
 PAGE NUM 3

NWLTC - NORTHWEST LA CAMPUS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
8	OMCT	0140	WELD1421C02	1111	11.15 15.00	1	8	2,741	210 25	00000
8	OMCT	0140	WELD1512C01	1111	11.15 15.00	1	5	2,741	210 25	00000
8	OMCT	0140	WELD1512C02	1111	11.15 15.00	1	1	2,741	210 25	00000
8	OMCT	0140	WELD1023C01	1111	12.00 15.00	1	8	2,741	210 25	00000
8	OMCT	0140	WELD2123C01	1111	12.00 15.00	1	3	2,741	210 25	00000
8	OMCT	0140	WELD2312C01	1111	13.00 17.00	1	1	2,741	210 25	00000
8	OMCT	0140	WELD1023CN1	1111	15.00 17.00	1	3	2,741	210 25	00000
8	OMCT	0140	WELD1411CN1	1111	15.00 17.55	1	3	2,741	210 25	00000
8	OMCT	0140	WELD1421C01	1111	15.00 18.55	1	2	2,741	210 25	00000
8	OMCT	0140	WELD1510CN1	1111	15.00 18.55	1	1	2,741	210 25	00000
8	OMCT	0140	WELD1511CN1	1111	15.00 18.55	1	3	2,741	210 25	00000
8	OMCT	0140	WELD1512CN1	1111	15.00 18.55	1	3	2,741	210 25	00000
8	OMCT	0140	WELD1074CN1	1111	15.00 19.50	1	2	2,741	210 25	00000
8	OMCT	0140	WELD2231CN1	1111	15.00 19.50	1	3	2,741	210 25	00000
8	OMCT	0140	WELD1421CN1	1111	15.10 19.05	1	1	2,741	210 25	00000
8	OMCT	0140	WELD2993CN1	1111	18.00 20.00	1	1	2,741	210 25	00000
8	OMCT	0140	WELD2100CN1	1111	18.00 20.55	1	1	2,741	210 25	00000
8	OMCT	0140	WELD2995CN1	1111	18.00 20.55	1	1	2,741	210 25	00000
	OMIA	0108	HCVO1013C01	11111	7.30 10.00		7	463	110 30	00000
	OMIA	0108	HCVO1133C01	11111	7.30 11.25	1	7	463	110 30	00000
	OMIA	0108	HCVO1023C01	11111	10.15 15.15	1	7	463	110 30	00000
	OMIA	0108	HCVO1013IY1	1111	12.00 14.00	1	13	463	110 30	00000
	OMIA	0108	HCVO1143C01	11111	12.00 15.55	1	7	463	110 30	00000
8	OMIA	0108	HCVO1023IY1	1111	14.15 17.30	1	13	463	110 30	00000
	OMIA	0110	CTDP1053C01	11111	7.30 9.30		10	463	110 30	00000
	OMIA	0110	CTDP1053C02	11111	7.30 9.30	1	5	463	110 30	00000
4	OMIA	0110	CTDP1064C01	11111	9.45 15.00		10	463	110 30	00000
4	OMIA	0110	CTDP1064C03	11111	9.45 15.00	1	5	463	110 30	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	7
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	42
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		49
TOTAL NUMBER OF RECORDS READ		130
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		130
NUMBER OF JOINT-CLASS RECORDS		76
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/29/2019 15:21:57
 PAGE NUM 1

NWLTC - NORTHWEST LA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			567
WEEKLY STUDENT CONTACT HOURS	9,223	2,176	11,399
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,487	208	1,695
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,030	28,350	79,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	39,960	5,492	45,452
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,446	4,352	22,798
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.7	19.8	57.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	36.1	15.4	28.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	46.2	79.2	50.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			567
WEEKLY STUDENT CONTACT HOURS	9,223	2,176	11,399
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,487	208	1,695
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,030	28,350	79,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	39,960	5,492	45,452
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,446	4,352	22,798
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.7	19.8	57.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	36.1	15.4	28.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	46.2	79.2	50.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/29/2019 15:21:57
 PAGE NUM 2

NWLTC - NORTHWEST LA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			427
WEEKLY STUDENT CONTACT HOURS	2,894	32	2,926
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,032	64	1,096
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,430	21,350	59,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,044	1,600	26,644
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,788	64	5,852
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	60.4	6.7	41.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.1	.3	9.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.1	4.0	22.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			427
WEEKLY STUDENT CONTACT HOURS	2,894	32	2,926
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,032	64	1,096
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,430	21,350	59,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,044	1,600	26,644
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,788	64	5,852
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	60.4	6.7	41.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.1	.3	9.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.1	4.0	22.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY